

DOCKET NO.: 293259US0PCT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Nicolas NADAUD, et al.

PATENT NO.: 8,080,108

GROUP: 1714

ISSUED: December 20, 2011

EXAMINER: COLEMAN, RYAN L.

FOR: METHOD FOR CLEANING A SUBSTRATE

REQUEST FOR CERTIFICATE OF CORRECTION

DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
ALEXANDRIA, VA 22313-1450

Commissioner:


The following is a Request for Certificate of Correction in Serial Number 10/586,967, now U.S. Patent Number 8,080,108.

In accordance with the provisions of Rule 322 of the Rules of Practice, which implement 35 USC 255, the U.S. Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent.

In light of the fact that the errors were the fault of our office and the U.S. Patent and Trademark Office, the required fee of \$100 is enclosed. The requested corrections are listed on FORM P.T.O. 1050.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, L.L.P.



Richard L. Treanor

Registration No. 36,379

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 07/09)

Daniel J. Pereira, Ph.D.

Registration No. 45,518

Paul Killos
Registration No. 58,014

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,080,108
DATED: December 20, 2011
INVENTOR(S): Nicolas NADAUD, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 37, "and/or or" should read --and/or--;

Mailing address of sender:

OBLON, SPIVAK MCCLELLAND,
MAIER & NEUSTADT, L.L.P.
1940 DUKE STREET
ALEXANDRIA, VIRGINIA 22314
Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 07/09)

Patent No. 8,080,108

No. of add'l copies
@ .30 per page

